

ATC ZEKERING 7.5A MANUAL RESET

€ 5,95

Excl. BTW: € 4,92

Afbeeldingen



Beschrijving

Features

- Manual reset type (Type III)
- Single pole temperature circuit
- For applications in the automotive industry



Technical Specifications



Rated Voltage: 28V

Pre-arcing Time Limits 5...30A

2xI_N, Min. / Max.: on Request

| | |
|----------------------------------|-------------|
| 4xI _N , Min. / Max.: | on Request |
| 10xI _N , Min. / Max.: | on Request |
| Temperature Range: | -40...+85°C |



| Part Nr. | I _N [A] | U _N [V] | I _{BC} [A] | Colour |
|----------|-----------------------|-----------------------|------------------------|------------|
| MR3405 | 5 | 28 | 100 | Tan |
| MR3407 | 7,5 | 28 | 100 | Moos Green |
| MR3410 | 10 | 28 | 100 | Red |
| MR3415 | 15 | 28 | 150 | Blue |
| MR3420 | 20 | 28 | 200 | Yellow |
| MR3425 | 25 | 28 | 300 | White |
| MR3430 | 30 | 28 | 300 | Green |

I_N = Rated Voltage, U_N = Rated Current, I_{BC} = Breaking Capacity



Norms

SAE J553 Type III

Productinformatie

| | |
|---------------|--------|
| Artikelnummer | MR3407 |
| Merk | ESKA |
| Is on Sale | Nee |

