


**ELCO BUS 4700UF 100V SCHROEFAANSLUITING**

**€ 139,00**

Excl. BTW: € 114,88

**Afbeeldingen**



**Beschrijving**

**Technical Specifications**

| Part Nr. | C      | U <sub>N</sub> | tand | I <sub>R</sub> | Z      |
|----------|--------|----------------|------|----------------|--------|
|          | [μF]   | [V DC]         | [%]  | [A]            | [mOhm] |
| EBG33A   | 33000  | 40             | 25   | 8,7            | 10     |
| EBG15A   | 150000 | 40             | 47   | 16,5           | 8      |
| EBF33A   | 330000 | 40             | 62   | 35,2           | 3      |
| EBG75A   | 750000 | 40             | 93   | 55,3           | 2      |

|         |       |     |    |      |    |
|---------|-------|-----|----|------|----|
| EBF10CA | 10000 | 100 | 10 | 9,4  | 16 |
| EBF22C  | 22000 | 100 | 9  | 15   | 7  |
| EBF47C  | 47000 | 100 | 12 | 28,2 | 4  |
| EBE15D  | 1500  | 400 | 7  | 3,8  | 74 |
| EBE33D  | 3300  | 400 | 8  | 5,8  | 39 |
| EBE68D  | 6800  | 400 | 8  | 12,4 | 17 |
| EBF12D  | 12000 | 400 | 8  | 14,8 | 8  |

C = Rated Capacitance, Rated Voltage DC, tan d = Dissipation Factor Max. (20°C) , I<sub>R</sub> = Ripple Current (100Hz, 85°C), Z = Impedance (20°C, 10kHz)



## Dimensions

| Part Nr. | D    | L    | a    | h    | B      | Terminals |
|----------|------|------|------|------|--------|-----------|
|          | [mm] | [mm] | [mm] | [mm] |        |           |
| EBG33A   | 50   | 70   | 22   | 5    | M12x16 | M5        |
| EBG15A   | 75   | 145  | 31,7 | 5    | M12x16 | M5        |
| EBF33A   | 75   | 165  | 31,7 | 5    | M12x16 | M5        |
| EBG75A   | 90   | 230  | 31,7 | 5    | M12x16 | M6        |
| EBF10CA  | 40   | 70   | 18   | 5    | M8x12  | M5        |
| EBF22C   | 65   | 100  | 28,5 | 5    | M12x16 | M5        |
| EBF47C   | 75   | 145  | 31,7 | 5    | M12x16 | M5        |
| EBE15D   | 50   | 100  | 22   | 5    | M12x16 | M5        |
| EBE33D   | 75   | 100  | 31,7 | 5    | M12x16 | M5        |
| EBE68D   | 75   | 145  | 31,7 | 5    | M12x16 | M5        |
| EBF12D   | 90   | 160  | 31,7 | 5    | M12x16 | M6        |



## Norms

IEC 60384-4, climatic category 40/O85/56

## Productinformatie

---

|               |        |
|---------------|--------|
| Artikelnummer | EBF47C |
| Merk          | F&T    |
| Is on Sale    | Nee    |

