


## LED VOEDING 24V/13.3A 320W IP65 BEHUIZING

€ 119,00

Excl. BTW: € 98,35

### Afbeeldingen



### Beschrijving

#### Features

- Constant current and constant voltage
- Independent control gear
- Wide range input
- Metal housing
- Overload protection by current limiting, auto recovery
- Protected against short circuit, overload, overvoltage, overtemperature
- Built-in PFC circuit
- For LED lighting applications
- SELV Compliant
- Safety standards: EN61347-1, EN61347-2-13 and others
- EMC Standards: EN55015, EN61000-3-2 Class C, EN61000-3-3, EN61547 and others
- 7 years manufacturer warranty
- **HLG-320H-\_-**: IP67, voltage and current fixed, not dimmable
- **HLG-320H\_A**: IP65, output voltage and current limit adjustable via internal potentiometer, not dimmable
- **HLG-320H\_B**: IP67, dimming via implemented control line, 3 in 1 dimming function (1...10V DC, PWM, 100k Ohm potentiometer)
- **HLG-320H\_AB**: IP65, current limit adjustable via internal potentiometer, dimming via implemented control line, 3 in 1 dimming function (1...10V DC, PWM, 100k Ohm potentiometer)



## Technical Specifications



Input Voltage:	90...305V AC (47...63Hz)
	127...431V DC
Input Inrush Current, Max.:	70A
Withstand Voltage	
I/P-O/P:	3750V AC
I/P-FG:	2000V AC
O/P-FG:	1500V AC
Operating Temperature:	-40...+90°C
Dimensions(LxWxH):	252x90x43.8mm
Weight:	1880g

## Productinformatie

---

Artikelnummer	HLG320H24A
Merk	MEANWELL
Is on Sale	Nee

