

2 KANAALS ONTVANGER 300-900MHZ 9-30VDC

€ 24,95

Excl. BTW: € 20,62

Afbeeldingen



Beschrijving

Specifications:

Distance: 30-50 meters

Very mini size: 5.5cm*4.5cm*1.0cm

One receiver can work with 400 codes

It don't interference other remotes and receivers

Brand selector: With 8 dip switches user can make different combination for different remote brands.

Compatible brands:

MARANTEC 433.92mhz 868.3mhz, FAAC SLH rolling code 433.92mhz and 868mhz, liftmaster 310, 390, 433.92mhz, 315mhz, **Hormann and Marantec, Berner 868mhz**, Prastel, Clemsa Mastercode 433.92mhz, DITEC 433 and 315mhz, V2, Aprimatic, JCM GO 868MHZ, JCM TECH, PNC, FORSA, ALMA, ROPER 868MHZ,FACC... and many other main brands in the market

Programming a new remote

1, Brand selector: With 8 dip switches user can make different combination for different remote brands.

2, Power Input Selector: This receiver can work at AC/DC 12V~30V. However, it's better to change the PIS according to the power input. If the input is great than 24V, shorten pin 2&3; shorten 1&2 if input less than 24V.

3, Programming procedure:

1) Select the correct brand for remote to be programmed by moving dip switches UP or DOWN. For 433,92Mhz Beninca remote controls, just move Dip-switch 5 UP.

2) Press the learn button. The will LED turn on.

3) Press the button on the remote, the LED flashes 4 times. It means that remote control was programmed successfully.

4) Repeat step 2 for another button.

5)The 2-nd channel programming procedure is the same.

4. Erase all data from the memory card: Press and hold either learn button. The LED will start flash. Keep this button pressed, until the LED will turn off. All saved data in the memory card will be erased permanently and can not be recovered

Multi frequency: 300-868mhz

Scimagic



SMG-662

Productinformatie

Artikelnummer	RX-MULTI
Merk	Merk

