
OMVORMER 24VDC-230VAC 300W GEMODIFICEERDE SINUSGOLF

€ 89,00

Excl. BTW: € 73,55

Afbeeldingen



Beschrijving

Features

- Modified sine wave output
- Power On/Off switch
- Front panel indicator for operation status
- Battery low alarm, Battery low shutdown
- Protections: over voltage/over temperature/overload/output short/input reverse polarity
- Built-in fan On/Off control function



Technical Specifications



Input Voltage:	See Table
Output Voltage:	230V AC
Output Voltage Tolerance:	±10%
Output Frequency:	50Hz ±1%
Output Rated Power:	300W
Peak Power:	600W
Wave Form:	Modified Sine Wave
Overvoltage	
A301-300-F3:	15...17V
A302-300-F3:	30...32V
Operating Temperature	
100% Load:	0...+30°C
50% Load:	0...+40°C
Weight:	1100g



Part Nr.	U_E	I_E	U_{BA}	U_{BL}	h
	[V]	[A]	[V]	[V]	[%]
A301-300-F3	10...15	0...35	$10^{\pm 0,5}$	$9,5^{\pm 0,5}$	82
A302-300-F3	21...30	0...15	$20^{\pm 0,8}$	$19,5^{\pm 0,8}$	85

U_E = Input Voltage Range, I_E = Input Current, U_{BA} = Battery Low Alarm, U_{BL} = Battery Shutdown, h = Efficiency



Note

Before using the DC/AC converter, please ensure that your terminal equipment has been approved by the manufacturer for operation with modified sine-wave voltage (trapezoid).

Productinformatie

Artikelnummer	A302-300F3
Merk	MEANWELL

