

CHASSIS FEMALE 3P SOLDEER IP67

€ 14,50

Excl. BTW: € 11,98

Afbeeldingen



Beschrijving

Features

- Panel mounting connectors with screw locking according to IEC60130-9
- Precision metal construction
- excellent EMC shielding
- Degree of protection IP67



Technical Specifications



Connector Locking System:	Screw
Termination:	Solder
Wire Gauge, Max.	

M16CF-03, -05, -0008:	0,75mm ²
M16CF-12:	0,25mm ²
Degree of Protection:	IP67
Mechanical Operating Life:	>500 Cycles
Temperature Range:	-30...+95°C
Rated Voltage:	see Table
Rated Current (40°C):	see Table
Contact Resistance, Max.:	see Table
Material of Contact:	CuZn
Material of Housing:	Zn (Diecasting), Nickel-plated



Part-Nr.	Pole	U _N [V]	I _N [A]	R [mOhm]	Contact Plating
BIN09-0108-0003	3	250 (32)	7	5	Ag
BIN09-0116-0005	5	250 (32)	6	5	Ag
BIN09-0174-0008	8	60 (32)	5	5	Ag
BIN09-0132-0012	12	60 (32)	3	3	Au

U_N = Rated Voltage, I_N = Rated Current (40°C), R = Contact Resistance, Max.

Productinformatie

Artikelnummer	M16CFO3
Merk	BINDER

