

ZIJKNIPTANG 115MM 0,3-0,8MM PUNT

€ 43,50

Excl. BTW: € 35,95

Afbeeldingen



Beschrijving

Features

- Suitable for fine cutting work in electronics and fine mechanics
- Precision shaped tips also cut close sitting wire from 0,2mm
- Sturdy, through-put and zero-backlash box joint
- Handles with multi-component grips
- Made of special tool steel
- **KNIP7622-125**: Lap joint; made of Vanadium electric steel
- **KNIP7742-130** made of ball bearing chrome steel



Cutting parameters

| Part No. | Hardness [HRC] | Hard Wire Ø [mm] | Medium Hard Wire Ø [mm] | Soft Wire Ø [mm] |
|--------------|-------------------|---------------------|----------------------------|---------------------|
| KNIP7722-115 | 57 | - | 1 | 0,3...1,3 |
| KNIP7702-115 | 60 | 0,6 | 1,2 | 0,3...1,6 |
| KNIP7742-115 | 57 | - | 0,8 | 0,3...1,3 |
| KNIP7772-115 | 60 | - | - | 0,3...0,8 |
| KNIP7622-125 | 63 | - | - | 0,4...2,5 |
| KNIP7742-130 | 60 | - | 1,3 | 0,3...1,6 |



Dimensions and Weight

| Part No. | L x W x H [mm] | Weight [g] |
|--------------|-------------------|---------------|
| KNIP7722-115 | 115 x 45 x 17 | 76 |
| KNIP7702-115 | 115 x 71 x 48 | 76 |
| KNIP7742-115 | 115 x 71 x 48 | 75 |
| KNIP7772-115 | 115 x 50 x 17 | 74 |
| KNIP7622-125 | 125 x 57 x 19 | 107 |
| KNIP7742-130 | 130 x 61 x 18 | 122 |



Surface and Type

| Part No. | Head | Type |
|--------------|-----------------|-------------------------------------|
| KNIP7722-115 | Mirror polished | Round head, without bevel |
| KNIP7702-115 | Mirror polished | Round head, with small bevel |
| KNIP7742-115 | Mirror polished | Pointed head, without bevel |
| KNIP7772-115 | Mirror polished | Pointed mini head, with small bevel |
| KNIP7622-125 | Polished | Round head, without bevel |
| KNIP7742-130 | Mirror polished | Pointed head, without bevel |



Norms

DIN ISO 9654
 KNIP7622-125: DIN ISO 5749

Productinformatie

| | |
|---------------|----------|
| Artikelnummer | KNIP7772 |
| Merk | KNIPEX |

