

EINDBUIS 8P OKTAL BEAM PENTODE

€ 44,50

Excl. BTW: € 36,78

Afbeeldingen



Beschrijving

A. F. BEAM PENTODE

Base: OCTAL

Uf = 6,3 V

If = ca 0,5 A

Typical

characteristic: Class A1

singl tube Push-Pull

Ua = 250 V 250 V

Ug2 = 250 V 250 V

Ug1 = -12,5 V -15 V

Ia = 45 mA 70 mA

Ig2 = 5 mA 13 mA

Ra = 50 kΩ -
Ra-a = - 10 kΩ
N = 4,5 W 10W
Limiting values:
Triode Pentode
Ua = 450 V 500 V
Ug2 = 450 V 450 V
Wa = 10 W 14 W
Grid No 1 Circuit Resistance
Fixed Bias 0,1 MΩ 0,1 MΩ
Self Bias 0,5 MΩ 0,5 MΩ
Capacitances:
Cg1 = 9 pF
Ca = 8,5 pF
Ca/g1 = 0,7 pF
Substitutes: 5871, 6AY5, 6P6C, 6V6G,
6V6GT, 6V6GTA, 6V6GTY, 6V6Y, 7184,
CV509, CV510, CV511, OSW3106, VT107,
VT227, WT2100082, WTT123, 7408

Productinformatie

Artikelnummer	6V6S
Merk	JJ ELECTRONIC
Is on Sale	Nee

