

EINDBUIS 8P OKTAL BEAM PENTODE

€ 52,50

Excl. BTW: € 43,39

Afbeeldingen



Beschrijving

A. F. BEAM PENTODE

Base: OCTAL

$U_f = 6,3 \text{ V}$

$I_f = \text{ca } 0,9 \text{ A}$

Typical characteristic:

Class A1

Singl tube Push-Pull

$U_a = 250 \text{ V } 270 \text{ V}$

$U_{g2} = 250 \text{ V } 270 \text{ V}$

$U_{g1} = -14 \text{ V } -17,5 \text{ V}$

Ia = 72 mA 134 mA

Ig2 = 5 mA 11 mA

Ra = 22,5 kΩ -

Ra-a = - 5 kΩ

N = 6,5 W 17,5 W

Limiting values:

Triode

Ua = 450 V

Ug2 = 450 V

Wa = 30 W

Pentode

Ua = 500 V

Ug2 = 450 V

Wa = 30 W

Grid No 1 Circuit Resistance

Fixed Bias 0,1 MΩ 0,1 MΩ

Self Bias 0,5 MΩ 0,5 MΩ

Capacitances:

cg1 = 12,5 pF

ca = 10 pF

ca/g1 = 1,5 pF

Productinformatie

Artikelnummer	6L6GC
Merk	JJ ELECTRONIC
Is on Sale	Nee

